Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 33

NUMBER 12

MARCH 22, 1918

WASHINGTON
GOVERNMENT PRINTING OFFICE
1918

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Health hazards from the use of the air hammer in cutting Indiana limestone.. 379
Supposed physical effects of the pneumatic hammer on workers in Indiana limestone..... 394
Physical fatigue as a factor in increasing susceptibility to communicable disease..... 403

PREVALENCE OF DISEASE.

United States:
Extra-cantonment zones—Cases reported week ended March 19..... 410
Disease conditions among troops in the United States..... 415
Current State summar..... 416
Alabama..... 416
California..... 416
Connecticut..... 417
Illinois..... 417
Indiana..... 417
Kansas..... 417
Louisiana..... 417
Massachusetts..... 417
Minnesota..... 418
Nebraska..... 418
Ohio..... 418
South Carolina..... 418
Vermont..... 418
Virginia..... 418
Washington..... 418
Cerebrospinal meningitis—
Kentucky—Glasgow and Tracy..... 418
City reports for week ended March 2, 1918..... 419
Erysipelas—
City reports for week ended March 2, 1918..... 419
Leprosy—
Massachusetts—Cambridge—Correction..... 420
City reports for week ended March 2, 1918..... 420
Malaria—
City reports for week ended March 2, 1918..... 420
Pellagra—
City reports for week ended March 2, 1918..... 420
Pneumonia—
City reports for week ended March 2, 1918..... 420
Poliomyelitis (infantile paralysis)—
City reports for week ended March 2, 1918..... 421
Rabies in animals—
City reports for week ended March 2, 1918..... 421
Rabies in man—
City report for week ended March 2, 1918..... 421

United States—Continued.
Smallpox— Page.
City reports for week ended March 2, 1918 422
Illinois—Pekin 422
Missouri—Kansas City 422
Texas—Eagle Pass—Virulent smallpox 422
Tetanus—
City reports for week ended March 2, 1918 423
Typhoid fever—
City reports for week ended March 2, 1918 423
Diphtheria, measles, scarlet fever, and tuberculosis—
City reports for week ended March 2, 1918 423
Foreign—
China—
Further relative to cerebrospinal meningitis—Hongkong 428
Cuba—
Communicable diseases—Habana 428
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended March 22, 1918—
Cholera 428
Plague 428
Smallpox 429
Typhus fever 429
Reports received from December 29, 1917, to March 15, 1918—
Cholera 430
Plague 430
Smallpox 431
Typhus fever 433
Yellow fever 434